

# KEYSTONE Garden Wall™

*Add beauty and strength to any home or garden landscape project.*

## Easy to Install

Keystone Garden Wall is lightweight and easy to handle. No special tools are required. Its secure, interlocking design makes installation as easy as 1-2-3.

## Adds Beauty

Keystone Garden Wall has the natural complement of quarried stone and its earth tone colors blend with any landscape.

## Offers Design Versatility

Keystone Garden Wall enables you to build straight, curved, or terraced walls to fit the contours of your yard.

## Long Lasting and Durable

Keystone Garden Wall is made of high-strength, low-absorption concrete to provide permanent, environmentally safe walls that are virtually maintenance free.



- Unit dimensions: 4"H x 12"W x 9"D (10cm x 30cm x 23cmD)
- Unit weight: 29lbs (13kg)
- Exposed face area: 1/3 sq. ft. (.03m<sup>2</sup>) per unit

\* Unit size, weight, color and availability may vary by region.

## INSTALLATION

### Step 1

Prepare the Site



Start by digging a shallow trench 4" deep by 12" wide. Cut through and remove any sod, roots or large rocks. For organic loam soils, dig 4" deeper and add a leveling pad of sand or gravel. Compact and level the soil to receive the first course of Keystone Garden Wall.

### Step 2

Set the Base Course



Place and level the first Keystone Garden Wall unit. Level each additional unit on the base course as you place it, making sure that the outside edges touch. If your wall contains both straight and curved areas, start with a straight area and build into the curves. Complete the base course before proceeding to the second course.

### Step 3

Stack and Fill



Starting with straight areas first, begin placing the second course. Center each Keystone Garden Wall unit on the seams of the course below in a running bond pattern as shown. Now proceed to the next layer, backfilling as you go. For drainage behind the wall, clean gravel or crushed stone is recommended.


## Remove Edges

To remove outside lugs or edges of retaining lip, hold unit securely or place at angle on ground. Strike the lug firmly with a hammer. Always wear safety glasses to protect eyes from chips.

## Building Curves

Curves as small as 2'-2" in radius can be built with Keystone Garden Wall.

Minimum radius at top of wall 2'-2"



Base leveling pad of fine draining granular material

## Typical Garden Wall Section

Use clean granular backfill such as gravel or crushed stone to prevent soil from leaching through the wall. A common (stocked by most garden supply stores) may be used where are used for backfill.

## DESIGN NOTES